## AMENDMENT TO THE CLAIMS

1. (Currently Amended) A method of displaying an image on a computer screen, the method comprising:

describing at least a portion of a base image as a path comprising a function of at least one variable, the path representing multiple pixels;

performing a non-affine transform on the path instead of the multiple pixels represented by the path to produce a transformed path by performing the non-affine transform on the function including the variable; and

rendering the transformed path onto the computer screen.

- 2. (Original) The method of claim 1 wherein performing a non-affine transform comprises performing a bilinear transform.
- 3. (Original) The method of claim 2 wherein describing the portion of the base image as a path comprises describing the portion using a function of order n.
- 4. (Original) The method of claim 3 wherein performing a bilinear transform produces a transformed function of order 2n.
- 5. (Original) The method of claim 3 wherein describing the portion of the base image as a path comprises describing the portion as a function of order one.
- 6. (Original) The method of claim 3 wherein describing the portion of the base image as a path comprises describing the portion as a function of order three.



- 7. (Original) The method of claim 1 wherein performing a non-affine transform comprises performing a perspective transform.
- 8. (Original) The method of claim 7 wherein performing a perspective transform produces a rational function of order n.
- 9. (Original) The method of claim 1 wherein rendering the transformed path comprises approximating the transformed path as a series of lines and rendering each line in the series of lines.
- 10. (Original) The method of claim 9 wherein producing a transformed path comprises producing a path of the form  $\sum_{i=0}^{n} B_i^n(t) \mathbf{q}_i$  where t is between zero and one and wherein approximating the transformed path as a series of lines comprises:

converting the transformed path from a function that describes an entire curve to a function of the form  $\sum_{j=0}^n B_j^n(t)\widetilde{\mathbf{q}}_j$  that describes a segment of the curve by setting each  $\widetilde{\mathbf{q}}_j = \sum_i B_i^j(c)\mathbf{q}_i$  where c is a

fixed fraction; and

- determining if the segment of the curve can be replaced by a straight line based on the function that describes the segment.
- 11. (Original) The method of claim 10 wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form  $\sum_{i=0}^{n} B_i^n(t) \mathbf{q}_i$  that describes a segment of the curve into a function

-4-

of the form  $\sum_{j=0}^{n} B_{j}^{n}(t) \widetilde{\mathbf{q}}_{j}$  that describes a larger segment of the curve by setting each  $\widetilde{\mathbf{q}}_{j} = \sum_{i=0}^{j} B_{i}^{j}(d) \mathbf{q}_{i}$  where d is a fixed value that is greater than one; and

determining if the larger segment of the curve can be replaced by a straight line based on the function that describes the segment.

12. (Original) The method of claim 10 wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form  $\sum_{i=0}^n B_i^n(t) \mathbf{q}_i$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^n B_j^n(t) \widetilde{\mathbf{q}}_j$  that describes a neighboring segment of the curve by setting each  $\widetilde{\mathbf{q}}_j = \sum_{i=n-j}^n (-1)^{n-i} \binom{j}{n-i} 2^{j-(n-i)} \mathbf{q}_i$ ; and

determining if the neighboring segment of the curve can be replaced by a straight line based on the function that describes the segment.

13. (Original) The method of claim 9 wherein producing a transformed path comprises producing a path of the form  $\mathbf{r} = \sum_{i=0}^{n} \mathbf{a}_{i} t^{i}$  where t is between zero and one and wherein approximating the transformed path as a series of lines comprises:

converting the transformed path from a function that describes an entire curve to a function of the

BI

form  $\sum_{j=0}^{n} \widetilde{\boldsymbol{a}}_{j} t^{j}$  that describes a segment of the curve

by setting each  $\widetilde{\pmb{a}}_j = c^j \pmb{a}_j$  where c is a fixed fraction; and

- determining if the segment of the curve can be replaced by a straight line based on the function that describes the segment.
- 14. (Original) The method of claim 13 wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form  $\sum_{i=0}^n \mathbf{a}_i t^i$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^n \widetilde{\mathbf{a}}_j t^j$  that describes a larger segment of the

curve by setting each  $\widetilde{\boldsymbol{a}}_j = d^j \boldsymbol{a}_j$  where d is a fixed value that is greater than one; and

- determining if the larger segment of the curve can be replaced by a straight line based on the function that describes the segment.
- 15. (Original) The method of claim 13 wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form  $\sum_{i=0}^n a_i t^i$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^n \widetilde{a}_j t^j$  that describes a neighboring segment of the

curve by setting each  $\widetilde{a}_j = \sum_{i=j}^n \frac{i!}{j!(i-j)!} a_i$ ; and

determining if the neighboring segment of the curve can be replaced by a straight line based on the function that describes the segment.

16. (Original) The method of claim 1 wherein performing a non-affine transform and rendering the transformed path comprise:

issuing a call to a server process while passing parameters comprising the path of the base image and a type of non-affine transform; and processing the call in the server process by performing the transform and rendering the transformed path.

- 17. (Original) The method of claim 16 wherein issuing a call to a server process further comprises passing parameters further comprising corner points for a quadrilateral that defines a transform space.
- 18. (Original) The method of claim 17 wherein issuing a call to a server process further comprises passing parameters further comprising a pen style to be used during rendering.
- 19. (Original) The method of claim 17 wherein passing a path comprises passing a list of paths.
- 20. (Original) The method of claim 19 wherein issuing a call to a server process further comprises passing parameters further comprising a brush style for filling a space between at least two rendered transformed paths.
- 21. (Currently Amended) A computer-readable medium having computer-executable components for performing steps comprising:

  generating a function of a variable to describe multiple pixels of an image for a computer screen;

transforming the function instead of the multiple pixels using a non-affine transform applied to the entire function including the variable to produce a transformed function; and

converting the transformed function into an image on the computer screen.

- 22. (Original) The computer-readable medium of claim 21 wherein transforming the function comprises transforming a function representing a smooth curve.
- 23. (Original) The computer-readable medium of claim 21 wherein transforming the function comprises using a bilinear transform.
- 24. (Original) The computer-readable medium of claim 23 wherein generating a function to describe an image comprises generating a function of order n and wherein transforming the function produces a transformed function of order 2n.
- 25. (Original) The computer-readable medium of claim 21 wherein transforming the function comprises using a perspective transform.
- 26. (Original) The computer-readable medium of claim 21 wherein converting the transformed function into an image comprises converting the transformed function into a series of lines and converting each line into an image.
- 27. (Original) The computer-readable medium of claim 26 wherein converting the transformed function into a series of lines comprises:

converting a function of the form 
$$\sum_{i=0}^n \frac{n!}{i! \, (n-i)!} t^i (1-t)^{n-i} \mathbf{q}_i$$

that describes a segment of a curve represented by
the transform function into a function of the form

$$\sum_{j=0}^{n} \frac{n!}{j! (n-j)!} t^{j} (1-t)^{n-j} \widetilde{\mathbf{q}}_{j}$$
 that describes a different sized segment of the curve by setting each 
$$\widetilde{\mathbf{q}}_{j} = \sum_{i=0}^{j} \frac{j!}{i! (j-i)!} c^{i} (1-c)^{j-i} \mathbf{q}_{i}$$

where c is a fixed value; and determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment.

28. (Original) The computer-readable medium of claim 26 wherein converting the transformed function into a series of lines comprises:

converting a function of the form  $\sum_{i=0}^{n} \frac{n!}{i!(n-i)!} t^{i} (1-t)^{n-i} \mathbf{q}_{i}$  that describes a segment of a curve represented by the transform function into a function of the form

$$\sum_{j=0}^{n} \frac{n!}{j! (n-j)!} t^{j} (1-t)^{n-j} \widetilde{\mathbf{q}}_{j} \quad \text{that describes an adjoining}$$

segment of the curve by setting each

$$\widetilde{\mathbf{q}}_j = \sum_{i=n-j}^n (-1)^{n-i} {j \choose n-i} 2^{j-(n-i)} \mathbf{q}_i$$
; and

determining if the adjoining segment of the curve can be replaced by a straight line based on the function that describes the segment. 29. (Original) The computer-readable medium of claim 26 wherein converting the transformed function into a series of lines comprises:

converting a function of the form  $\sum_{i=0}^{n} \mathbf{a}_{i} t^{i}$  that describes a segment of a curve represented by the transform function into a function of the form  $\sum_{j=0}^{n} \widetilde{a}_{j} t^{j}$  that describes a different sized segment of the curve by setting each  $\widetilde{a}_{j} = c^{j} a_{j}$  where c is a fixed value; and

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment.

30. (Original) The computer-readable medium of claim 26 wherein converting the transformed function into a series of lines comprises:

converting a function of the form  $\sum_{i=0}^{n} a_i t^i$  that describes a segment of a curve represented by the transform function into a function of the form  $\sum_{j=0}^{n} \widetilde{a}_j t^j$  that describes an adjoining segment of the curve by setting each  $\widetilde{a}_j = \sum_{i=j}^{n} \frac{i!}{j!(i-j)!} a_i$ ; and

determining if the adjoining segment of the curve can be replaced by a straight line based on the function that describes the segment. 31. (Original) A method for rendering a curve on a computer screen comprising:

converting a function of the form  $\sum_{i=0}^n \frac{n!}{i!(n-i)!} t^i (1-t)^{n-i} \mathbf{q}_i$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^n \frac{n!}{j!(n-j)!} t^j (1-t)^{n-j} \widetilde{\mathbf{q}}_j$  that describes a different sized segment of the curve by setting each  $\widetilde{\mathbf{q}}_j = \sum_{i=0}^j \frac{j!}{i!(j-i)!} c^i (1-c)^{j-i} \mathbf{q}_i$  where c is a

fixed value that determines the segment size;
determining if the different sized segment of the curve
can be replaced by a straight line based on the
function that describes the segment; and
rendering the straight line onto the computer screen if
the straight line replaced the segment.

32. (Original) A method for rendering a curve on a computer screen comprising:

converting a function of the form  $\sum_{i=0}^n \frac{n!}{i! (n-i)!} t^i (1-t)^{n-i} \mathbf{q}_i$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^n \frac{n!}{j! (n-j)!} t^j (1-t)^{n-j} \widetilde{\mathbf{q}}_j$  that describes an adjacent segment of the curve by setting each  $\widetilde{\mathbf{q}}_j = \sum_{i=n-j}^n (-1)^{n-i} \binom{j}{n-i} 2^{j-(n-i)} \mathbf{q}_i$ ;

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and



rendering the straight line onto the computer screen if the straight line replaced the segment.

33. (Original) A method for rendering a curve on a computer screen comprising:

converting a function of the form  $\sum_{i=0}^{n} \mathbf{a}_{i} t^{i}$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^{n} \widetilde{a}_{j} t^{j}$  that describes a different sized segment of

the curve by setting each  $\widetilde{\boldsymbol{a}}_j = c^j \boldsymbol{a}_j$  where c is a fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

34. (Original) A method for rendering a curve on a computer screen comprising:

converting a function of the form  $\sum_{i=0}^n a_i t^i$  that describes a segment of the curve into a function of the form  $\sum_{i=0}^n \widetilde{a}_i t^j$  that describes an adjacent segment of the

curve by setting each  $\tilde{a}_j = \sum_{i=j}^n \frac{i!}{j!(i-j)!} a_i$ ;

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

35. (Original) A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form  $\sum_{i=0}^n \frac{n!}{i! \, (n-i)!} t^i (1-t)^{n-i} \mathbf{q}_i$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^n \frac{n!}{j! \, (n-j)!} t^j (1-t)^{n-j} \widetilde{\mathbf{q}}_j$  that describes a different sized segment of the curve by setting each  $\widetilde{\mathbf{q}}_j = \sum_{i=0}^j \frac{j!}{i! \, (j-i)!} c^i (1-c)^{j-i} \mathbf{q}_i$  where c is a

fixed value that determines the segment size; determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and rendering the straight line onto the computer screen if the straight line replaced the segment.

36. (Original) A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form  $\sum_{i=0}^n \frac{n!}{i! (n-i)!} t^i (1-t)^{n-i} \mathbf{q}_i$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^n \frac{n!}{j! (n-j)!} t^j (1-t)^{n-j} \widetilde{\mathbf{q}}_j$  that describes an adjacent segment of the curve by setting each  $\widetilde{\mathbf{q}}_j = \sum_{i=n-j}^n (-1)^{n-i} \binom{j}{n-i} 2^{j-(n-i)} \mathbf{q}_i$ ;



determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

37. (Original) A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form  $\sum_{i=0}^n \mathbf{a}_i t^i$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^n \widetilde{a}_j t^j$  that describes a different sized segment of

the curve by setting each  $\widetilde{\pmb{a}}_j = c^j \pmb{a}_j$  where c is a fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

38. (Original) A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form  $\sum_{i=0}^{n} a_i t^i$  that describes a segment of the curve into a function of the form  $\sum_{j=0}^{n} \widetilde{a}_j t^j$  that describes an adjacent segment of the curve by setting each  $\widetilde{a}_j = \sum_{i=1}^{n} \frac{i!}{j!(i-j)!} a_i$ ;





determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and rendering the straight line onto the computer screen if the straight line replaced the segment.